
LCD Interactive Whiteboard



Flyup Technology's Ultra interactive whiteboard is wide application in the conference office and becoming a strong assistant of teachers. It can replace a series of equipment widely existing in conference rooms and classrooms, such as projectors, computers, televisions, and so on.

The intelligent experience, high-definition display, smooth touch, teleconference, and other rich functions have updated the traditional meeting and class methods and also solved various inefficiencies and inconveniences in the meetings over the years.



4K Super Clear Display

Full 3840*2160 high definition images can be displayed




Muti-touch Operation

10-point touch allows several people to write at the same time



Robust Dual System

Android and Windows dual system supports more applications



Scan Code to Share

Scan code to easily store and share meeting records




Wireless Screen Cast

Transmit the content wirelessly, realizing real-time demonstration



Precise Written

1mm recognition accuracy make zooming, mobile dragging, roaming and other shortcut operation easy



Wide Viewing Angle

The wide 178°/178° viewing angle can ensure clear images from all angles

➢ Specification

	MODEL	UL-IB6501
Panel	Panel size	86''
	Display area	1428 x 803mm
	Resolution	3840 x 2160
	Aspect ratio	16:9
	Brightness	350cd/m²
	Contrast ratio	2000:1
	Viewing angle	178°/178°
	Display color	16.7 Billion (8bit)
	Touch type	Infrared 20 points touch
	Touch precision	≤1mm
	Tempered glass	4mm, Morse level 7
Android	Operating system	Android 10.0
	CPU	64-bit ARM Cortex-A55, 2.1GHZ
	Memory	4GB
	Storage	32GB eMMC
OPS Computer (Optional)	Operating system	Windows 7 / Windows 10
	CPU	I7-4600M 2.9 GHZ
	Memory	8GB
	Storage	256GB SSD
Interfaces	Input	RJ45 IN x1, RS232 x1, AV IN x1, YPBPR x1 PC AUDIO x1, VGA x1, VGA&DP TOUCH x1 DP x1, HDMI TOUCH x2, HDMI x2 USB FL x1, USB x1, TF(Max.128g) x1
	Output	RJ45 OUT x1, HDMI OUT x1 Earphone x1, Coax x1

➢ Specification

	MODEL	UL-IB6501
Machine Parameters	Power supply	AC 100V~240V,50/60HZ
	Power consumption	130W (Max)
	Speaker	Stereo 2*10W
	Material	Aluminum alloy front frame, metal back cover
	Color	Black or silver
	VESA	400 x 400mm
	Net weight	41.5±1 KG
	Gross weight	51.5±1 KG
	Product size	1481 x 913 x 95mm
	Carton size	1630 x 240 x 1050mm
	Installation	Wall mount, freestanding mount (Optional)
	Accessories	Remote control x1 AC power cable (1.5M) x1 Wi-Fi antenna x1, Magnetic writing pen (Optional)



Wall Mount Bracket





Floor Standing Bracket





Intelligent Remarks

Record the inspiration in meetings at any time through the electronic whiteboard

Remote Video Conference

With powerful remote video conferencing function to achieve a decisive victory thousands of miles away





Interactive Teaching

Combined with sounds, images, videos, annotation drawing and so on to create an infectious teaching atmosphere

➢ Schematic Drawing

